



NTC THERMISTORS: TYPE NDM

EPOXY COATED CHIP THERMISTOR

DESCRIPTION:


A range of epoxy coated chips with bare 0.2mm tinned copper lead-wires.

FEATURES:

- Designed for accurate temperature measurement, control & compensation
- Tight tolerances on resistance and B value
- Operation up to 155°C with excellent stability
- Small body size
- Fast response
- Epoxy resin provides voltage insulation
- Suitable for automotive, HVAC & white goods applications



DIMENSIONS:



*Diameter will be 2.8mm max for NDM103C4_types

OPTIONS:

- Other resistance values within the ranges shown e.g. code NDM152C2R1 for 1500Ω ±1% at 25°C in the range of 0°C up to the maximum operating temperature
- Reference temperatures
- Wire lengths 30 to 600mm (±1mm or ±2%, whichever is the greater)
- Other wire materials

DATA:

Minimum operating temperature -40°C
Thermal time constant..... <10s
Dissipation factor 2.2mW/K
Voltage insulation..... 500V d.c.
Packing/MOQ..... 500/box



NTC THERMISTORS: TYPE NDM

EPOXY COATED CHIP THERMISTOR

R25 Ω	Material System	B 25/85 K	Maximum Temp. °C	Code	Code	Code	Code	Code
				R25 ± 1%	R25 ± 2%	R25 ± 3%	R25 ± 5%	R25 ± 10%
1000	2	3540 ± 1%	125	NDM102C2R1	NDM102C2R2	NDM102C2R3	NDM102C2R5	NDM102C2R10
2000	2	3540 ± 1%	125	NDM202C2R1	NDM202C2R2	NDM202C2R3	NDM202C2R5	NDM202C2R10
5000	2	3540 ± 1%	125	NDM502C2R1	NDM502C2R2	NDM502C2R3	NDM502C2R5	NDM502C2R10
1000	2A	3627 ± 1%	125	NDM102C2AR1	NDM102C2AR2	NDM102C2AR3	NDM102C2AR5	NDM102C2AR10
2000	2A	3627 ± 1%	125	NDM202C2AR1	NDM202C2AR2	NDM202C2AR3	NDM202C2AR5	NDM202C2AR10
5000	2A	3627 ± 1%	125	NDM502C2AR1	NDM502C2AR2	NDM502C2AR3	NDM502C2AR5	NDM502C2AR10
2700	1	3977 ± 0.75%	155	NDM272C1R1	NDM272C1R2	NDM272C1R3	NDM272C1R5	NDM272C1R10
5000	1	3977 ± 0.75%	155	NDM502C1R1	NDM502C1R2	NDM502C1R3	NDM502C1R5	NDM502C1R10
10000	1	3977 ± 0.75%	155	NDM103C1R1	NDM103C1R2	NDM103C1R3	NDM103C1R5	NDM103C1R10
30000	1	3977 ± 0.75%	155	NDM303C1R1	NDM303C1R2	NDM303C1R3	NDM303C1R5	NDM303C1R10
50000	1	3977 ± 0.75%	155	NDM503C1R1	NDM503C1R2	NDM503C1R3	NDM503C1R5	NDM503C1R10
2700	3	3960 ± 1%	155	NDM272C3R1	NDM272C3R2	NDM272C3R3	NDM272C3R5	NDM272C3R10
5000	3	3960 ± 1%	155	NDM502C3R1	NDM502C3R2	NDM502C3R3	NDM502C3R5	NDM502C3R10
10000	3	3960 ± 1%	155	NDM103C3R1	NDM103C3R2	NDM103C3R3	NDM103C3R5	NDM103C3R10
30000	3	3960 ± 1%	155	NDM303C3R1	NDM303C3R2	NDM303C3R3	NDM303C3R5	NDM303C3R10
50000	3	3960 ± 1%	155	NDM503C3R1	NDM503C3R2	NDM503C3R3	NDM503C3R5	NDM503C3R10
12000	5	3740 ± 5%	125	NDM123C5R1	NDM123C5R2	NDM123C5R3	NDM123C5R5	NDM123C5R10
10000	4	3435 ± 1%	110	NDM103C4R1	NDM103C4R2	NDM103C4R3	NDM103C4R5	NDM103C4R10
30000	4	3435 ± 1%	110	NDM303C4R1	NDM303C4R2	NDM303C4R3	NDM303C4R5	NDM303C4R10
50000	4	3435 ± 1%	110	NDM503C4R1	NDM503C4R2	NDM503C4R3	NDM503C4R5	NDM503C4R10
100000	4	3435 ± 1%	110	NDM104C4R1	NDM104C4R2	NDM104C4R3	NDM104CR5	NDM104C4R10

See separate tables for resistance - temperature data

BOWTHORPE THERMOMETRICS
 Crown Industrial Estate, Priorswood Road
 Taunton, Somerset TA2 8QY UK
 Tel +44 (0) 1823 335200
 Fax +44 (0) 1823 332637

THERMOMETRICS, INC.
 808 US Highway 1
 Edison, New Jersey 08817-4695 USA
 Tel +1 (732) 287 2870
 Fax +1 (732) 287 8847

KEYSTONE THERMOMETRICS CORPORATION
 967 Windfall Road
 St. Marys, Pennsylvania 15857-3397 USA
 Tel +1 (814) 834 9140
 Fax +1 (814) 781 7969